



SPREADER STICKER A NON-IONIC SPRAY

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

ACTIVE INGREDIENTS	By Wt
Alkylaryl polyoxyethylene glycols.....	60%
Isopropyl alcohol.....	20%
INERT INGREDIENTS.....	20%
TOTAL:.....	100%

CALIF. REG NO. 11656-50021-ZB
EPA Est. #11656-CA-2

LIVESTOCK USE: Use 4 to 8 ozs. in 100 gallons water.

CONCENTRATE SPRAY: Use 1-1 1/2 pts. to 1 quart in 100 gallons water

AIR APPLICATION: Add 2 to 60 ozs. per 100 gallons.

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
FOR AGRICULTURAL USE ONLY OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Some pesticides may require higher rates for optimum performance. Refer to the pesticide label for the manufacturer's recommended surfactant rate. Do not add this product at a rate which exceeds 5% of the finished spray volume.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Keep in original container.
Do not reuse empty container.
Store in cool, dry place.
Protect from excessive heat.

For help with any spill, leak, fire or exposure involving this material, call day or night 800-424-9300.

DISPOSAL

Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION!**
This product is irritating to the eyes and contact should be avoided. In case of accidental contact, flush eyes immediately for 15 minutes with plenty of water. Medical attention should be obtained. Prolonged contact with skin may cause irritation. If spilled on the skin, wash thoroughly with water. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.
ENVIRONMENTAL HAZARDS
Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONDITIONS OF SALE AND WARRANTY

SELLER MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects and other reproductive harm.

NET CONTENTS: _____ GALLONS

Manufactured by:
WESTERN FARM SERVICE, INC.
P. O. Box 1168
Fresno CA 93715

FIRST CHOICE® is a registered trademark of Western Farm Service, Inc.
Rodeo is a registered trademark of Dow Agro Sciences..

GENERAL USE DIRECTIONS

This product is a wetting agent specifically designed to increase the efficiency of agricultural sprays. It is effective in both hard and soft water areas. It should be used where uniform wetting and coverage is desired.

This product should be added undiluted as the last ingredient in the spray tank. Care should be taken to provide agitation during addition to insure thorough mixing.

DO NOT FREEZE: If contents become frozen, allow it to warm to 70^N and shake well before using.

WITH HERBICIDES: Use 1-4 pts. in 100 gallons water, or more, depending on stage of weeds to be killed.

For use with Rodeo® Herbicide

Use 1-2 quarts per 100 gallons of finished spray solution. Consult the Rodeo® label for proper rates and volume.

WITH ACARICIDES, FUNGICIDES & INSECTICIDES: Use 2 to 8 ozs. in 100 gallons water, or more depending on individual conditions.