



Coastal CalMax®

LOW CHLORIDE SUSPENSION CALCIUM WITH BORON 9-0-0

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

GUARANTEED ANALYSIS:

Total Nitrogen (N)	9.0%
0.53% Ammoniacal Nitrogen	
8.27% Nitrate Nitrogen	
0.20% Urea Nitrogen	
Calcium (Ca)	10.0%
Magnesium (Mg)	0.60%
Boron (B)	2.00%
Copper (Cu)	0.05%
0.05% Chelated Copper	
Iron (Fe)	0.10%
0.10% Chelated Iron	
Manganese (Mn)	0.10%
0.10% Chelated Manganese	
Zinc (Zn)	0.30%
0.30% Chelated Zinc	

Derived from: Calcium Nitrate, Calcium Ammonium Nitrate, Urea, Magnesium Nitrate, Boric Acid, Copper EDTA, Iron EDTA, Manganese EDTA, and Zinc EDTA.

KEEP OUT OF REACH OF CHILDREN CAUTION

WARNING: This fertilizing material contains Boron (B). Use on any crops other than those recommended may result in serious injury to the crop(s).

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.htm>

GENERAL INFORMATION

FIRST CHOICE Coastal CalMax is a water soluble foliar nutritional fertilizer of macro-and micro nutrients. It is designed for foliar application and may be applied alone or in tank mixes containing pesticides. However, when use of an unfamiliar mix is made, a compatibility test is always recommended. Foliar fertilization is a supplement to a regular fertilizer program and will not supply the total nutrients required by a crop. FIRST CHOICE Coastal CalMax is recommended as a foliar nutrition to be applied to crops where disorders due to insufficient calcium are anticipated.

CONDITIONS OF SALE AND WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops and animals to which the material is applied, damage caused by drift to other plants or crops, and personal injury.

**NET CONTENTS: 2.5 GALLONS (9.463 Litres)
12.85 lbs./gallon (1.54 kgs.litre)**
Manufactured for: Western Farm Service, Inc.
P.O. Box 1168, Fresno, California 93715

FIRST CHOICE® is a registered trademark of Western Farm Service, Inc.
CalMax® is a registered trademark of Interfarm, Inc.

DIRECTIONS FOR USE:

Dissolve the desired amount of FIRST CHOICE Coastal CalMax in water before adding to the spray tank. With proper agitation, FIRST CHOICE Coastal CalMax can be added into the spray tank with agitation running. Do not store solution mixed with pesticide! Spray immediately after mixing. Add FIRST CHOICE Coastal CalMax to the spray tank before adding pesticides.

RECOMMENDATIONS FOR USE:

CROP	PURPOSE	RATE/ACRE	NUMBER & TIMING OF APPLICATIONS
Cabbage, Cauliflower, Lettuce, Endive	Tip burn reduction	3-4 pints	4-6 applications starting shortly before head formation.
Chinese Cabbage	Tip burn reduction	2-4 pints	2-4 applications per season.
Broccoli	Brown bead reduction	3-4 pints	4-6 applications starting shortly before bead formation.
Brussel Sprouts	Internal browning reduction	3.2 - 6.8 pints	Multiple applications.
Celery, Chicory	Black heart reduction	3-4 pints	Weekly applications starting before black heart symptoms arise.
Strawberries and other berries	Increased fruit firmness	5 pints	Multiple applications.
Grapes	Reduction of stem dieback and shot berry	4-8 pints	Applications as required.
Onions	Increase weight and shelf life	2-4 pints	Multiple applications during growing season.
Turf	Supplemental Calcium for foliage and turf	1.5 - 3 pints per 1,000 sq. feet	Applications as required.
Ornamentals	Supplemental Calcium for foliage and turf	Concentration 0.4 - 0.6%	Applications as required.

For aerial application use a maximum of two (2) quarts of FIRST CHOICE Coastal CalMax per 10 gallons of water.

Rates recommended are for standard spray volumes of 50-150 gal/acre (500-1,500 liters/ha.). For higher volume sprays, rate should be adjusted. Caution: Store FIRST CHOICE Coastal Calmax in temperatures between 41°F to 104°F and avoid extreme variations in temperature.

A reversible separation of ingredients may occur after long storage, this however does not affect quality or effectiveness of the product.