



FOLIAR PRIDE®

7-14-8

FOLIAR NUTRITION FOR VIGOROUS PLANTS

GUARANTEED ANALYSIS

Total Nitrogen (N)	7.00%
1.76% Ammoniacal Nitrogen	
5.24% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	14.00%
Soluble Potash (K ₂ O)	8.00%
Iron (Fe)	0.10%
Zinc (Zn)	0.05%

Derived from urea, ammonium phosphate, phosphoric acid, potassium hydroxide, ferrous, and zinc sulfates.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS

0.15% humic acids derived from leonardite.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CONDITIONS OF SALE AND WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops and animals to which the material is applied, damage caused by drift to other plants or crops, and personal injury.

**READ ENTIRE LABEL
USE STRICTLY IN ACCORDANCE
WITH CAUTIONS AND DIRECTIONS**

SHAKE WELL BEFORE USING DIRECTIONS FOR USE

Application - Air - Apply in 5 to 10 gallons of water per acre.

Ground - Apply in 10 to 100 gallons of water per acre.

ALFALFA - Apply 1/2 gallon to 2 gallons per acre one week after each cutting.

ARTICHOKES - Apply 1/2 gallon to 1 1/2 gallons per acre early season; Repeat as necessary to improve plant vigor.

TOMATOES, PEPPERS, CUCUMBER, MELONS AND SQUASH - Apply 1/2 gallon to 2 gallons per acre when plants are 3 to 4 weeks old and well established. Repeat at 1 to 2 week intervals.

ASPARAGUS, LETTUCE, CELERY, COLE CROPS (BROCCOLI, CABBAGE, ETC.) Apply 1/2 gallon to 2 gallons per acre when plants are well established after thinning or transplanting. Repeat at 1 to 2 week intervals, dependent on crop vigor.

BEANS, PEAS - Apply 1/2 gallon to 2 gallons per acre at first bloom. Repeat at 1 to 2 week intervals.

ONIONS, GARLIC - Apply 1/2 gallon to 2 gallons per acre at 6"-8" height and repeat at 3 week intervals.

CORN, SWEET CORN - Apply 1/2 gallon to 2 gallons per acre at 18" height and again just prior to tasseling.

COTTON - Apply 1/2 gallon to 2 gallons per acre pre-bloom and repeat as necessary during flowering and early square formation.

GRAPES - Apply 1/2 gallon to 2 gallons per acre early season. Repeat as necessary to improve plant vigor. Do not apply within 60 days of harvest or after early fruit set (pea-berry size).

POTATOES - Apply 1/2 gallon to 2 gallons per acre when plants are young during initial tuber formation. Repeat at 1 to 2 week intervals.

SUGARBEETS - Apply 1/2 gallon to 2 gallons per acre after 4 true leaves have formed. Repeat as necessary at 1 to 2 week intervals.

SMALL GRAINS - (Wheat, barley, oats, etc.) - Apply 1/2 gallon to 2 gallons per acre throughout growing season. CAUTION: DO NOT exceed one quart per gallon of finish spray when combined with 2, 4-D amine and/or dicamba (Banvel®).

STRAWBERRIES - Apply 1/2 gallon to 2 gallons per acre when first fruit buds show in the crown. Repeat at 1 to 2 week intervals for two additional applications.

HOPS - Apply 1/2 gallon to 2 gallons per acre to vines in early season. Make a second application when the vines reach the top of the trellis.

CITRUS, DECIDUOUS FRUITS & NUTS - (Applies to cherries, plums, pears, peaches, prunes, almonds, walnuts, etc.) Use 1-2 quarts per 100 gallons dilute spray, 1/2 - 2 gallons per acre in concentrate spray in the early season pre-bloom and post-bloom as needed. CAUTION: DO NOT USE during late season on tree fruit whose maturity may be delayed or fruit color may be delayed by nitrogen application. DO NOT USE on Golden Delicious Apples during slow drying conditions.

COMPATIBILITY - Compatible with most pesticides and fertilizers. A compatibility test is recommended if the desired combination has not been previously used. Add pesticide after all of the water has been added. **DO NOT EXCEED** - One quart per gallon of finished spray.

APPLICATION - Thorough coverage and wetting is desirable for optimum foliar spray results. Do not over spray causing runoff.

CAUTION - Do not use with copper sprays, oil, lime sulfur, spray lime or highly alkaline materials.

Manufactured by Western Farm Service, Inc., P.O. Box 1168, Fresno, CA 93715

NET CONTENTS: 5 GALLONS (18.93 liters)
Weight per gallon 10.53 lbs. (1.262 kgs/liter)

FIRST CHOICE and FOLIAR PRIDE are registered trademarks of Western Farm Service, Inc.
Banvel is a registered trademark of BASF.