

MATERIAL SAFETY DATA SHEET

FIRST CHOICE® 80S SPREADER STICKER Page 1 of 4

ISSUE DATE 02/01

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical Product

FIRST CHOICE® 80S SPREADER STICKER

CA Reg. No.: 11656-50103-AA

Common Name: Surfactant (Adjuvant).

Chemical Description: Liquid mixture of nonionic surfactants.

TSCA/CAS No. This product is a mixture — there is no specific CAS number.

Manufactured For

Western Farm Service, Inc.

P. O. Box 1168

Fresno, CA 93715

Telephone:(559) 438-6133

Emergency Phone Numbers

Emergency Telephone: CHEMTREC (24-Hour Response): (800) 424-9300

EPA National Response Center: (800) 424-8802

SECTION 2. HAZARDOUS INGREDIENTS

<u>CHEMICAL</u>	<u>CAS NO.</u>	<u>%</u>	<u>TLV OR PEL</u>	<u>RQ (lbs)</u>
POE Nonylphenols	26027-38-3 9016-45-9	27.0	N.A.*	N.A.
Modified phthalic/glycerol alkyl resin	Trade Secret	21.0	N.A.	N.A.
Butyl Alcohol	73-36-3	6.0	N.A.	N.A.
Isopropyl Alcohol	67-63-0	3.0	400 ppm (PEL)	N.A.
N.A. - Not Available.				

SECTION 3. EMERGENCY/HAZARDS OVERVIEW

Clear, viscous liquid with slight alcohol odor. Avoid contact with strong alkalis at high temperatures, acids, oxidizing agents, or materials reactive with hydroxyl compounds. Burning may result in formation of carbon oxides. Contain any liquid runoff. Not D.O.T. regulated.

HEALTH: 2 REACTIVITY: 0 FLAMMABILITY: 1 ENVIRONMENT: 0

(0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

SECTION 4. FIRST AID

Eyes: Immediately flush eyes with plenty of water and get medical attention.

Skin: Immediately wash skin with plenty of soap and water while removing contaminated clothing and shoes. If irritation persists, seek medical attention.

Ingestion: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water. If so advised by a physician or Poison Control Center, induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Inhalation: Remove victim to fresh air.

SECTION 5. FIRE AND EXPLOSION HAZARDS

Flash Point:	140°F.
Test Method:	ASTM-D93
LEL Flammable Limits:	Not pertinent.
UEL Flammable Limits:	Not pertinent.
Autoignition Temperature:	Not pertinent.
Flammability Classification:	None.
Known Hazardous Products of Combustion:	None.
Properties that Initiate/Contribute to Intensity of Fire:	None.
Potential For Dust Explosion:	None.
Reactions that Release Flammable Gases or Vapors:	Not known.
Potential For Release of Flammable Vapors:	None.
Unusual Fire & Explosion Hazards:	Burning may result in formation of carbon oxides.
Extinguishing Media:	Foam, CO ₂ , dry chemical, water.
Special Firefighting Procedures:	Wear positive pressure, self-contained breathing apparatus and goggles. Avoid smoke inhalation. Contain any liquid runoff.

SECTION 6. SPILLS AND LEAKS

Containment:	Prevent product spillage from entering drinking water supplies or streams.
Clean Up:	Collect liquid or absorb onto absorbent material and package for disposal.
Evacuation:	Not necessary.

SECTION 7. STORAGE AND HANDLING

Storage:	Store in plastic or stainless steel container in a cool, well-ventilated, dry place at temperatures above 40°F. Do not store near food or feeds. Do not stack pallets more than two (2) high.
Transfer Equipment:	Transfer product using chemical-resistant plastic or stainless steel tanks, pumps, valves, etc.
Work/Hygienic Practices:	Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Remove contaminated clothing and wash thoroughly before reuse. Do not contaminate feed and foodstuffs.

SECTION 8. PERSONAL PROTECTIVE EQUIPMENT

Eyes:	Chemical dust/splash goggles or full-face shield to prevent eye contact. As a general rule, do not wear contact lenses when handling.
Skin:	Impervious gloves and clothes.
Respiratory:	Not normally needed. If use generates an aerosol mist or respiratory irritation, use NIOSH-approved dust/mist respirator (such as 3M #8710).
Ventilation:	Recommended but no TLV established.

SECTION 9. PHYSICAL AND CHEMICAL DATA

Appearance:	Clear, viscous liquid.
Odor:	Light alcohol odor.
pH:	6.6
Vapor Pressure:	Not available.
Vapor Density (Air=1):	>1.0
Boiling Point:	95°C (203°F)
Freezing Point:	Not available.
Water Solubility:	Miscible.
Density:	8.48 lbs./gal.
Evaporation Rate:	Not available.
Viscosity:	Not available.
% Volatile:	Not available.
Octanol/Water Partition Coefficient:	Not available.
Saturated Vapor Concentration:	Not available.

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions To Avoid:	Avoid contact with strong alkalis at high temperatures, acids, oxidizing agents, or materials reactive with hydroxyl compounds.
Incompatibility:	Not available.
Hazardous Decomposition Products:	Burning may result in formation of carbon oxides.
Hazardous Polymerization:	Will not occur.

SECTION 11. POTENTIAL HEALTH EFFECTS

<u>Acute Effects:</u>	
Eyes:	Moderate irritant. Vapors or mist may cause redness and burning.
Skin:	Mild irritant, especially from prolonged exposure. Causes redness, drying and cracking.
Ingestion:	Mild irritant. May cause nausea, vomiting and diarrhea. LD ₅₀ (Rat) > 3500 kg/mg.
Inhalation:	None expected but aerosol mist may cause mild irritation of nasal mucous membranes.
<u>Subchronic Effects:</u>	None known.
<u>Chronic Effects:</u>	None known.

SECTION 12. ECOLOGICAL INFORMATION

Algal/Lemna Growth Inhibition:	Not known.
Toxicity to Fish and Invertebrates:	Not known.
Toxicity to Plants:	Not known.
Toxicity in Birds:	Not known.

SECTION 13. DISPOSAL

Do not contaminate lakes, streams, ponds, estuaries, oceans or other waters by discharge of waste effluents or equipment washwaters. Dispose of waste effluents in accordance with state and local regulations. Also, chemical additions or other alterations of this product may invalidate any disposal information in this MSDS. Therefore, consult local waste regulators for proper disposal.

SECTION 14. TRANSPORTATION

D.O.T. PROPER SHIPPING DESCRIPTION: Not D.O.T. Regulated.
OTHER SHIPPING INFORMATION: - Adhesives, Adjuvants, Spreaders or Stickers, Liquid.
NMFC Item 4612, LTL Class 60

SECTION 15. REGULATORY INFORMATION

CERCLA: Butyl alcohol is listed as a priority pollutant under the Clean Water Act and, as such, falls under the CERCLA spill reporting requirements of 40 CFR 302.

SARA TITLE III, Section 313 Toxic Chemicals: Butyl alcohol (6.0%), Isopropyl alcohol (3.0%).

Proposition 65 (CA): None.

SECTION 16. OTHER

All information appearing in this document was based on data provided by third party sources and was compiled to comply with the Federal Hazard Communication Standard and the California Hazardous Substances Information and Training Act. The information is believed to be accurate as of the preparation date, but is not warranted as being the final authority in the use of this product. This information does not purport to be legal or medical advice.